



Main Features • 6-inch IPS LCD screen · 2300nit high-brightness display

· Wireless OTA upgrade • 1080P 60FPS driving record camera (optional)

- · Sentinel Mode IP69K-rated waterproof and dustproof Independent shock absorption and anti-shake structure

- Wireless Screen Mirroring · Dual-band Wi-Fi (2.4G/5G) · BMW data reading (optional)
- Tire pressure detector expansion

Product Code: MFP0170



Main Features 4G live broadcast

 Real-time weather preview SOS emergency rescue

IoT Card x 1

Ball Head Pipe Bracket Set x 1

Standard Package List

Power Supply Cable x 1 Keychain x 1 Cable Ties & Cable Organizer Set x 1

Ball Head Bracket x 1 Host Power Camera 3-in-1 Cable x 1 Sticker x1 Screwdriver Set x 1 Instruction Manual x 1

AIO-6 Riding System Optional Accessories

BMW Quick Release Module

• 2300nit high-brightness screen camera (optional) · Wireless Screen Mirroring Sentinel Mode

• 6-inch IPS LCD screen

 IP69K-rated waterproof and dustproof Independent shock absorption and anti-shake structure

Standard Package List BMW quick release module x 1 Camera quick release cable x 1

Standard Package List CG quick-release module x 1 CG quick release base x 1 Camera cable plug x 2 Anti-theft Tools x 1 manual x 1

Standard Package List

Power supply cable x 1 Ball head bracket x 1

Standard Package List Front camera x 1 Rear camera x 1

Camera 3M glue x 2 manual x 1

Standard Package List 1-inch ball head ×1 CG quick-release base ×1 Car suction mount ×1

1-inch ball joint extension mount ×1

CG cable-fixing silicone straps ×2

CG quick release base x 1 Camera cable plug x 2

manual x 1

• 2.4G/5G dual-band WIFI • BMW data reading (optional)

· Wireless OTA upgrade

• 1080P 60FPS driving record

• Tire pressure detector expansion

The optional base perfectly integrates with the original BMW navigation base, enabling deep data interaction with BMW motorcycles. It supports the original vehicle rotary knob (BMW Wonder Wheel) control and vehicle data reading. Additionally, it can be connected to a 1080P 60fps HD camera to enable dashcam functionality.

The CG quick-release base enables fast disassembly, effectively meeting anti-theft requirements. The base is made of high-strength materials to ensure stability and durability. It can also be connected to a 1080P 60fps HD camera to enable dashcam functionality.

The CG quick-release base allows for rapid disassembly, effectively meeting anti-theft needs. Made from high-strength materials, it ensures stability and durability. Additionally, it can be connected to a 1080P 60fps HD camera to enable dashcam functionality.

Ball head tube bracket x 1

manual x 1

The 1080P 60fps HD camera is designed for users who demand smooth image quality. The 60fps frame rate not only provides smoother dynamic footage but also captures details in fast-moving scenes, preventing blurriness. Whether recording scenic drives or providing dashcam safety monitoring, this camera delivers a clear and smooth video experience to meet various usage needs.

AIO-6, paired with the CHIGEE automotive quick-release mount, enables seamless switching between motorcycle and car use.

Product Code: MFP0174

Product Code: MFP0175

Product Code: MFP0183

CG Quick Release Kit



Product Code: MFP0189

Automotive CG Quick Release Base

Interactive Module

1080P 60fps Camera

Product Code: MFP0114 Standard Package List CGOBD Wireless Module * 1 EURO5 (6P) Adapter Cable* 1

Read Real-time Engine Data

Data Overlay & Synchronized to

Analyze Vehicle Driving Status

Main Features

Video File

Product Code: MFP0169

CGOBD Wireless Module

R1300 GS R1300 GS ADV

CGRC LIN

Product features

Read BMW vehicle data, wheel

CGRC CAN (6Pin)

Product Introduction

Original car control

Application switching

Convenient operation

Lossless installation Compatible with

control, obtain advanced blue page dashboard. 1. Compatible with most BMW motorcycles equipped with a quick-release navigation mount (GS ADVseries).

2. Some models without a navigation mount can still read data. For more details, please refer to the compatibility chart. 3. Note: The K1600 does not support wheel control.

Product Code: MFP0151

Compatibility

CGOBD Module:

CGRC LIN Module:

motorcycles and models without the rotary knob module on the original handlebar, the module will only unlock the BMW-specific instrument cluster and read the data, but will not enable rotary knob control.

CGRC CAN Module (4/6/8 Pin):

CG Radar(For AIO)

External Tire Pressure Sensor

Product Code: MFP0223

Standard Package List

Main Wiring Harness *1

Wrench *1 3M Adhesive Kit *1 ACC Wire Tap Clip *1 Cable Ties *5

User Manual *1

Product Features

· Blind Spot Vehicle Alert

Standard Package List

Size:18.2mm (Diameter) *14.7mm

Functions: Tire Pressure, Tire Temperature

Measurement Range: 0-8Bar

External Sensor * 2

Main Features

Weight: 5.8q

Accuracy: 0.01Bar

Wrench * 1 Security Nut * 2

Height

• Integrated Alerts with Vehicle System

Radar Module (with Bracket) *1

· Adaptive Brightness Adjust

Battery Replacement: Self-replacement Battery Life: 1-2 years

> **Basic Parameters** Basic Parameters:

Material: Aluminum Alloy Size: 56*38*30mm

Connector: 17mm Ball Joint Disassembly&Assembly Tools:

T10 Screwdriver/Wrench

Usage: Mount the device on M8/M10

Screw of motorcycle rear-view mirror

Product Code: MFP0042

Direction

AIO-6 AG Etched

Tempered Glass/Matte

128G Industrial grade

Mirror Mount

Column Bracket **Product Code: MFP0146**

Basic Parameters Compatible with 12-29mm direction column holes of raceinspired motorcycles

Standard Package List

Tempered Glass Film*1

Tool Kit*1

Tempered Glass Film AG anti-reflective/Matte 0.3mm thickness Anti-fingerprint Edge Beveling

Product Features

Product Code: MFP0156 Standard Package List

128G Industrial grade

Product features

microSD memory card * 1

microSD memory card Stable storage High-speed reading Sufficient memory

Specification

Product Features

Portable Storage

Material: 900D Oxford Fabric

Shock-Absorbing And Drop-Proof

Waterproof And Wear-Resistant

Product Code: MFP0184

Compatible with R1200GS/R1200GS ADV R1250GS/R1250GS ADV

Product Code: MFP0121

Product Code: MFP0120

CGRC CAN (4pin)

Product Introduction Original car control Application switching

Convenient operation

Lossless installation

CGRC CAN (8pin)

Product Introduction

Convenient operation

C400 / F750 / F800 (2024) / F850

/ F900 / S1000 / R1200 / R1250 / R12nineT (2024) / K1600

Lossless installation

Compatible with

Original car control Application switching

No restriction on vehicle brand/model/year; simply confirm the OBD interface type for easy

installation. It can read professional engine data, and the data can be overlaid and synchronized with the recording file to analyze the vehicle's driving status in real-time. Specifically developed for BMW motorcycle users, this module enables control of the vehicle's system via the BMW rotary knob. The original handlebar must have the rotary knob module. BMW

Product Code: MFP0089

Product Code: MFP0018

CG Remote Controller PRO

Built-in Tire

Pressure Sensor

Standard Package List

Controller * 1

Main Features

Answer/Left Key

Back/Confirm Key Hang Up/Right Key

Ultra-long Battery Life

Lossless Installation

Standard Package List

Size: 25mm length*48.5mm Height*13mm Thickness

Measurement Range: 0-8Bar

Functions: Tire Pressure, Tire

Battery Replacement: Self-replacement

Built-in Sensor * 2 Rubber Gasket * 2

Main Features

Accuracy: 0.01Bar

Battery Life: 2-3 years

Weight: 23g

Temperature

Heat-resistant Lithium Battery

AIO-6 Optional Accessories

Specifically developed for BMW motorcycle users, this module enables control of the vehicle's system via the BMW rotary knob and allows reading of exclusive BMW motorcycle data. After installation, the vehicle system will unlock the BMW-specific instrument cluster. For K/RT series

motorcycles with a 10-inch display series are not compatible with this module.

 Rear Warning Lights • Rear-End Collision Flash Warning **Product Code: MFP0019**

Product Code: MFP0057 Standard Package List Screw * 2 CNC Mount * 1 M8-18 Gasket

> Standard Package List Expansion Base * 1

Ball Joint Clamps

17mm Rear Mirror

Product Code: MFP0056 Standard Package List Screw * 4

Product Code: MFP0022

12-16mm Crossbar

Installation Base

Usage: Mount the device on metal tube of motorcycle rear-view mirror Connector: 17mm Ball Joint Disassembly&Assembly Tools: T10 Screwdriver/Wrench

Crossbar Installation Base

Compatible with 12-16mm

crossbar, supports main

models: ADV and others

M4 Screw*2 CNC Bracket Base*1

Basic Parameters

CNC Ball Joint Clamp * 1

Basic Parameters

Basic Parameters: Material: Aluminum Alloy

Size: 55*38*30mm

22-32mm standard

pipe clamp

Product Code: MSFP0044

Product Code: MFP0147

Basic Parameters Suitable for handlebar /bar installation

22-32mm standard

pipe clamp * 1 adaptor ring*3

Standard Package List

Shockproof Case

Product Features Full Edge Protection Scratch-resistant and Wear-resistant

Standard Package List

Silicone Protective Case*1

Product Features

Standard Package List

Shockproof Silicone

Protective Case*1

Full Edge Protection Scratch-resistant and Silicone Wear-resistant **Protective Case** Waterproof and Dustproof

Product Code: MFP0187

Product Code: MFP0186

Standard Package List CG Quick Release Anti-Theft Assembly*1

CG Quick Release Anti-Theft Assembly

Product Features Compatible with CG Quick Release, effectively meeting anti-theft needs.

Product Code: MFP0115 Remote Controller Handle **Bracket**

AIO-6

Multifunctional

Storage Bag

Standard Package List AIO-6 Multifunctional Storage Bag*1

handlebar

Material: Aluminum Alloy 6061 Size:89.4*37.5*19.2mm Application: Fix the remote controller on the motorcycle



A10-5 Lite Online Navigation Messages Notification Video Recording

Wireless Mirroring

Trip Statistics

Blind Spot Detection

Product Code: MFP0110

CH GE



Mounting Clamps x1 Power Cable x1

Main Unit x1

Cameras x2

Standard Package List

Ball Head Mount x1 Reducer Rings x3 **Main Features** • 5-inch high-brightness IPS LCD screen · High-sensitivity touchscreen

· 32GB built-in storage

Assembly Tools x3 Stickers x2 User Manual x1 Dual HD dashcam

Velcro Cable Ties x4 Nylon Cable Ties x5

External GPS x1 Wiring Clips x2

Tire pressure monitoring

(expandable with a 256GB memory card) • Low voltage protection IP68 waterproof and dustproof rating Independent shock-absorbing structure

· Blind spot monitoring · Wireless screen mirroring

· 2.4G/5G dual-band Wi-Fi · Bluetooth 5.0 hardware features

Reverse polarity protection

system (TPMS) expansion

Standard Package List CGOBD Wireless Module * 1 EURO5 (6P) Adapter Cable* 1

Interactive Module

Product Code: MFP0114



Main Features Read Real-time Engine Data Data Overlay & Synchronized to

Video File Analyze Vehicle Driving Status

CGRC CAN (6Pin)

Product Introduction Original car control Application switching Convenient operation Lossless installation Compatible with

R1300 GS

R1300 GS ADV

CGRC LIN

page dashboard.

control, obtain advanced blue

Application switching Convenient operation

Product Code: MFP0120



Lossless installation

CGRC CAN(4pin)

Product Introduction Original car control

Compatible with R1200GS/R1200GS ADV R1250GS/R1250GS ADV

Product Code: MFP0121

Product Code: MFP0169



Compatibility

Product features Read BMW vehicle data, wheel



1.Compatible with most BMW motorcycles equipped with a

2. Some models without a navigation mount can still read data. For more details, please refer to the compatibility chart. 3. Note: The K1600 does not support wheel control.

quick-release navigation mount (GS ADVseries).

C400 / F750 / F800 (2024) / F850 / F900 / S1000 / R1200 / R1250 / R12nineT (2024) / K1600



CGRC CAN (8pin)

Product Introduction Original car control

Application switching

Convenient operation

Lossless installation

Compatible with

motorcycles with a 10-inch display series are not compatible with this module.

CGRC LIN Module: Specifically developed for BMW motorcycle users, this module enables control of the vehicle's system via the BMW rotary knob and allows reading of exclusive BMW motorcycle data. After

installation, the vehicle system will unlock the BMW-specific instrument cluster. For K/RT series

Specifically developed for BMW motorcycle users, this module enables control of the vehicle's system via the BMW rotary knob. The original handlebar must have the rotary knob module. BMW

motorcycles and models without the rotary knob module on the original handlebar, the module will only unlock the BMW-specific instrument cluster and read the data, but will not enable rotary

Product Code: MFP0223

knob control. AIO-5 Lite Optional Accessories

Wrench *1 3M Adhesive Kit *1 ACC Wire Tap Clip *1 Cable Ties *5 User Manual *1

• Integrated Alerts with Vehicle System

Standard Package List

Main Wiring Harness *1

Product Features

Blind Spot Vehicle Alert

Radar Module (with Bracket) *1

Rear Warning Lights · Rear-End Collision Flash Warning · Adaptive Brightness Adjust

CG Radar(For AIO)



Product Code: MFP0018

Size: 25mm length*48.5mm Height*13mm Thickness Weight: 23g **Built-in Tire Pressure Sensor** Accuracy: 0.01Bar



CG Remote Controller PRO

Built-in Sensor * 2

Main Features

Controller * 1

Temperature

Ultra-long Battery Life Heat-resistant Lithium Battery Lossless Installation

Standard Package List Rubber Gasket *



Standard Package List







Mirror Mount

Screw of motorcycle rear-view mirror Connector: 17mm Ball Joint Disassembly&Assembly Tools: T10 Screwdriver/Wrench

Material: Aluminum Alloy

Usage: Mount the device on M8/M10

CNC Mount * 1 M8-18 Gasket **Basic Parameters**

Expansion Base * 1

Product Code: MFP0042

Product Code: MFP0124

AIO-5 Tempered

Glass Film

Direction

Column Bracket

Basic Parameters Compatible with 12-29mm direction column holes of raceinspired motorcycles

Standard Package List

Standard Package List Tempered Glass Film*1 Alcohol Pad Lint-free Cloth **Basic Parameters**

Tempered Glass Film

0.3mm thickness

Product Code: MFP0130 AIO-5 silicone protective case



Product features Full Edge Protection

Scratch-resistant and

Waterproof and Dustproof

Wear-resistant

Product Code: MFP0134

1-inch ball head

Product specifications

Size:35.53*25.4*31.1mm

AIO-5 Lens Hood

Product Code: MFP0163

Product specifications

Standard Package List AIO-5 Lens Hood * 1

Wrap-around Design Waterproof Sunshade Easy installation Applicable to AIO-5 series **Product Code: MFP0056**

External Tire

Pressure Sensor

Product Code: MFP0019

Standard Package List

Size:18.2mm (Diameter) *14.7mm

Functions: Tire Pressure Tire Temperature
Battery Replacement: Self-replacement

Accuracy: 0.01Bar Measurement Range: 0-8Bar

Battery Life: 1-2 years

Standard Package List

CNC Ball Joint Clamp * 1

Basic Parameters

Basic Parameters: Material: Aluminum Alloy

Size: 55*38*30mm

Usage: Mount the device on metal

Disassembly&Assembly Tools:

T10 Screwdriver/Wrench

Standard Package List

HexSocketScrew*4 M3*8 Screw

Crossbar Installation Base

Compatible with 12-16mm crossbar, supports main

models: ADV and others

M4 Screw*2

CNC Bracket Base*1

Basic Parameters

M4 Gasket * 8

M5*10 Screw * 1

tube ofmotorcycle rear-view mirror Connector: 17mm Ball Joint

Screw * 4

External Sensor * 2

Security Nut * 2

Main Features

Weight: 5.8g

Wrench * 1

Height



AIO-5 Lite BMW

K1600 Lossless

17mm Rear Mirror

Ball Joint Clamps

Product Code: MFP0059

Basic Parameters Compatible with original navigation system mounting location of BMW **Installation Bracket** K1600 and 1250RT, it is necessary to disconnect the power supply of the original vehicle navigation system before installation.

CNC Bracket * 1 M4 Nut * 4

12-16mm Crossbar **Installation Base**

Product Code: MSFP0044 Standard Package List

Product Code: MFP0022



22-32mm standard

Suitable for handlebar /bar installation

22-32mm standard

Basic Parameters

pipe clamp * adaptor ring*3

Size:80cm

Product Code: MFP0156

Camera extension cable

Product specifications

Product features Stable storage High-speed reading Sufficient memory

Standard Package List

128G Industrial grade microSD memory card * 1

128G Industrial grade microSD memory card

Product Code: MFP0115 Remote Controller Handle

Bracket

handlebar

Specification Material: Aluminum Alloy 6061

Size:89.4*37.5*19.2mm Application: Fix the remote controller on the motorcycle



AIO-5 Play Motorcycle

Smart Riding System

Pipe Clamp x 1 Power Cable x 1 Ball Joint Component x 1 Variable Radius Ring x 3 USB adapter cable x 1

Standard Package List

• 5 inch High Brightness IPS LCD High Sensitivity Touch Panel

Main Features

Host x 1

- 32GB Internal Storage, extended support 256GB TF Card
- •IP68 Waterproof and Dustproof • Independent Anti-Shake & Damping Structure
- Wireless screencasting
- Disassembly Assembly Tools x 3 Sticker x 2 User Manual x 1

• Reverse Polarity Protection • WIFI 2.4G/5G Dual Band WIFI • Bluetooth 5.0

Tire Pressure Monitor

Low Voltage Protection

Parallel Cable Clip x 2

Nylon Cable Ties x 5

Binding Strap x2

Product Code: MFP0114

Interactive Module

CGOBD

CGOBD Wireless Module * 1 EURO5 (6P) Adapter Cable* 1

Main Features Read Real-time Engine Data

Data Overlay & Synchronized to

Standard Package List

Wireless Module Analyze Vehicle Driving Status

Product Introduction

Product Code: MFP0120



Original car control Application switching

CGRC CAN(4pin)

Convenient operation Lossless installation

Compatible with R1200GS/R1200GS ADV R1250GS/R1250GS ADV

Product Introduction

Product Code: MFP0169



Convenient operation ossless installation

CGRC CAN (6Pin)

Original car control

Application switching

Compatible with R1300 GS

R1300 GS ADV

Product Introduction Original car control

Product Code: MFP0121



Lossless installation


Application switching

CGRC CAN (8pin)

Compatible with C400 / F750 / F800 (2024) / F850 / F900 / S1000 / R1200 / R1250 / R12nineT (2024) / K1600

Read BMW vehicle data, wheel control, obtain advanced blue

Product Code: MFP0151



page dashboard.

CGRC LIN

Product features

1.Compatible with most BMW motorcycles equipped with a

CGOBD Module: No restriction on vehicle brand/model/year; simply confirm the OBD interface type for easy

For more details, please refer to the compatibility chart. 3. Note: The K1600 does not support wheel control.

Convenient operation



installation. It can read professional engine data, and the data can be overlaid and synchronized

CGRC CAN Module (4/6/8 Pin): Specifically developed for BMW motorcycle users, this module enables control of the vehicle's system via the BMW rotary knob. The original handlebar must have the rotary knob module. BMW

with the recording file to analyze the vehicle's driving status in real-time.

motorcycles with a 10-inch display series are not compatible with this module.

CGRC LIN Module:

Specifically developed for BMW motorcycle users, this module enables control of the vehicle's system via the BMW rotary knob and allows reading of exclusive BMW motorcycle data. After installation, the vehicle system will unlock the BMW-specific instrument cluster. For K/RT series motorcycles and models without the rotary knob module on the original handlebar, the module

will only unlock the BMW-specific instrument cluster and read the data, but will not enable rotary

knob control.

Product Code: MFP0223

AIO-5 Play Optional Accessories

Standard Package List Radar Module (with Bracket) *1 Main Wiring Harness *1 Wrench *1



Blind Spot Vehicle Alert • Integrated Alerts with Vehicle System Rear Warning Lights Rear-End Collision Flash Warning

· Adaptive Brightness Adjust

3M Adhesive Kit *1 ACC Wire Tap Clip *1 Cable Ties *5

User Manual *1

Product Features

Product Code: MFP0089

Standard Package List

CG Remote Controller PRO

Main Features Answer/Left Key

Controller * 1

Product Code: MFP0057



Lossless Installation

Back/Confirm Key

Hang Up/Right Key

Ultra-long Battery Life

Heat-resistant Lithium Battery

Standard Package List

CNC Mount * 1 M8-18 Gasket

Basic Parameters

Screw * 2

Basic Parameters: Material: Aluminum Alloy Size: 56*38*30mm Usage: Mount the device on M8/M10 Screw of motorcycle rear-view mirror

Connector: 17mm Ball Joint Disassembly&Assembly Tools:

T10 Screwdriver/Wrench

Standard Package List

Basic Parameters Compatible with 12-29mm direction column holes of raceinspired motorcycles

Main Features Size: 25mm length*48.5mm Height*13mm Thickness **Built-in Tire** Weight: 23g **Pressure Sensor**

Product Code: MFP0018



Accuracy: 0.01Bar Measurement Range: 0-8Bar Functions: Tire Pressure, Tire Temperature Battery Replacement: Self-replacement

Battery Life: 2-3 years

Standard Package List

Built-in Sensor * 2

Rubber Gasket * 2

Product Code: MFP0019 Standard Package List External Sensor * 2 Security Nut * 2

Size:18.2mm (Diameter) *14.7mm



Direction

Column Bracket

Rear-view

Product Code: MFP0042

Expansion Base * 1

Product Code: MSFP0044

Standard Package List 22-32mm standard pipe clamp * 1 adaptor ring*3

/bar installation

Product Code: MFP0022

Measurement Range: 0-8Bar Functions: Tire Pressure, Tire Temperature Battery Replacement: Self-replacement



17mm Rear Mirror

Ball Joint Clamps

External Tire

Pressure Sensor

Battery Life: 1-2 years

Main Features

Weight: 5.8g

Accuracy: 0.01Bar

Height

Product Code: MFP0056

Standard Package List Screw * 4 CNC Ball Joint Clamp * 1 **Basic Parameters** Basic Parameters: Material: Aluminum Alloy Size: 55*38*30mm

Usage: Mount the device on metal

Disassembly&Assembly Tools: T10 Screwdriver/Wrench

tube ofmotorcycle rear-view mirror Connector: 17mm Ball Joint

AIO-5 Play BMW K1600 Lossless

Installation Bracket

Product Code: MFP0059



12-16mm Crossbar

Installation Base

Standard Package List CNC Bracket * 1 M4 Gasket * 8

Basic Parameters

M4 Nut * 4

Compatible with original navigation system mounting location of BMW K1600 and 1250RT, it is necessary to disconnect the power supply of the original vehicle navigation system before installation.

Hex Socket Screw*4 M3*8 Screw

M5*10 Screw * 1

22-32mm standard pipe clamp



Basic Parameters

Suitable for handlebar

USB Power Harness

Product specifications

Size:30cm

Product Code: MFP0130

Basic Parameters Compatible with 12-16mm

crossbar, supports main

models: ADV and others

CNC Bracket Base*1

M4 Screw*2

Crossbar Installation Base

AIO-5 silicone protective case

Product Code: MFP0134

Product features

Full Edge Protection Scratch-resistant and Wear-resistant

Waterproof and Dustproof

1-inch ball head

Product specifications

Size:35.53*25.4*31.1mm

Product specifications

Product Code:MFP0163



Wrap-around Design Waterproof Sunshade Easy installation Applicable to AIO-5 series

Standard Package List AIO-5 Lens Hood * 1

Product Code: MFP0124 Standard Package List

Tempered Glass Film*1

Alcohol Pad

AIO-5 Tempered Glass Film

Lint-free Cloth **Basic Parameters** Tempered Glass Film 0.3mm thickness Anti-fingerprint

2.5D Edge Beveling

Product Code: MFP0115

Remote Controller Handle

Bracket

Product specifications Material: Aluminum Alloy 6061 Size:89.4*37.5*19.2mm Application: Fix the remote controller on the motorcycle handlebar





AIO-5 Play (For BMW) **Motorcycle Smart Riding System**

Standard Package List Host x1

Keychain x1 TF Card x1 Disassembly Tools x3 Stickers x2 Manual x1 **Main Features**

- 5-inch high-brightness IPS LCD screenCompatible with BMW Motorrad connection bracket
- Get BMW Motorrad original TPMS data Tire pressure detector expansion
- Low pressure protection
- Reverse connection protection
 Compatible with original BMW Wonderwheel controller
 60FpS high frame rate screen projection
- Support quick release
- IP68 waterproof and dustproof
 Bluetooth 5.0 hardware features
- · Tire pressure detector expansion
- Low pressure protectionReverse connection protection

Interactive Module

Product Code: MFP0121



CGRC CAN (8pin)

Product Introduction Original car control

Application switching Convenient operation Lossless installation

Compatible with C400 / F750 / F800 (2024) / F850

/ F900 / S1000 / R1200 / R1250 / R12nineT (2024) / K1600

Product Code: MFP0120



CGRC CAN(4pin)

Product Introduction Original car control Application switching Convenient operation

Lossless installation

Compatible with R1200GS/R1200GS ADV

R1250GS/R1250GS ADV

Product Code: MFP0169



CGRC CAN (6Pin)

Product Introduction Original car control

Application switching Convenient operation Lossless installation Compatible with

R1300 GS R1300 GS ADV

AIO-5 Play (For BMW) Optional Accessories

Product Code: MFP0223



Standard Package List Radar Module (with Bracket) *1 Main Wiring Harness *1

Wrench *1 3M Adhesive Kit *1 ACC Wire Tap Clip *1 Cable Ties *5 User Manual *1 **Product Features**

CG Radar(For AIO)

• Blind Spot Vehicle Alert

- Integrated Alerts with Vehicle System · Rear Warning Lights
- · Rear-End Collision Flash Warning Adaptive Brightness Adjust

Product Code: MFP0019 Standard Package List



Pressure Sensor

External Sensor * 2 Wrench * 1

Security Nut * 2 Main Features

Size:18.2mm (Diameter) *14.7mm Height

Weight: 5.8g Accuracy: 0.01Bar Measurement Range: 0-8Bar Functions: Tire Pressure Tire Temperature Battery Replacement: Self-replacement Battery Life: 1-2 years

Standard Package List

Product Code: MFP0018



Pressure Sensor

Built-in Sensor * 2 Rubber Gasket * 2

Main Features

Size: 25mm length*48.5mm Height*13mm Thickness Weight: 23g

Accuracy: 0.01Bar Measurement Range: 0-8Bar Functions: Tire Pressure, Tire Temperature Battery Replacement: Self-replacement Battery Life: 2-3 years

AIO-5 silicone protective case

Product Code: MFP0130



Product features

Full Edge Protection Scratch-resistant and Wear-resistant Waterproof and Dustproof

Standard Package List Controller * 1

Product Code: MFP0089



Ultra-long Battery Life

Main Features

Answer/Left Key Back/Confirm Key Hang Up/Right Key

Heat-resistant Lithium Battery Lossless Installation

Standard Package List

Product Code: MFP0164



Storage bag*1

Product specifications

Portable Storage

Waterproof And Wear-Resistant

Shock-Absorbing And Drop-Proof



Product Code: MFP0124

Product Code: MFP0163

Standard Package List Tempered Glass Film*1 Alcohol Pad Lint-free Cloth

AIO-5 Lens Hood

Standard Package List AIO-5 Lens Hood * 1

Product specifications Wrap-around Design Waterproof Sunshade

Applicable to AIO-5 series

Easy installation



Basic Parameters

Tempered Glass Film

0.3mm thickness

2.5D Edge Beveling

Anti-fingerprint

Remote Controller Handle **Bracket**

Product specifications Material: Aluminum Alloy 6061 Size:89.4*37.5*19.2mm Application: Fix the remote

controller on the motorcycle

handlebar





XR-2 Motorcycle **Smart Riding System**

Standard Package List Host x1 Cable buckle x2

Camera x2 Velcro cable tie x2 Fixed pipe clamp x1 Nylon cable tie x5 Disassembly and assembly tools x3 Power cord x1 3M glue x2 Instruction manual x1

Ball head seat x1

Reducing ring x3

• 4.3-inch 1400nit high-brightness IPS LCD screen

Features

- High-sensitivity touch screen
- 32G built-in storage (expandable to 256GB memory card)
- IP68 waterproof and dustproof · Independent shock-absorbing and anti-shake structure
- Wireless projection
- 2.4G/5G dual-band WIFI • Bluetooth 5.0 Hardware Features
- · 2-way high-definition driving record camera • Tire pressure monitor expansion

XR-2 Optional Accessories

Standard Package List

Product Code: MFP0223



Product Features

Main Wiring Harness *1 Wrench *1 3M Adhesive Kit *1 ACC Wire Tap Clip *1 Cable Ties *5 User Manual *1

Radar Module (with Bracket) *1

CG Radar(For AIO)

· Blind Spot Vehicle Alert

- Integrated Alerts with Vehicle System
- Rear Warning Lights
- Rear-End Collision Flash Warning Adaptive Brightness Adjust

Standard Package List

Product Code: MFP0019

External Sensor * 2 Wrench *



External Tire

Pressure Sensor

Security Nut * 2 Main Features

Size:18.2mm (Diameter) *14.7mm Height

Weight: 5.8g Accuracy: 0.01Bar Measurement Range: 0-8Bar Functions: Tire Pressure . Tire Temperature Battery Replacement: Self-replacement Battery Life: 1-2 years

Product Code: MFP0018 Standard Package List



Built-in Tire

Pressure Sensor

Built-in Sensor * 2 Rubber Gasket * 2

Height*13mm Thickness

Main Features Size: 25mm length*48.5mm

Weight: 23g

Accuracy: 0.01Bar Measurement Range: 0-8Bar Functions: Tire Pressure, Tire Temperature Battery Replacement: Self-replacement Battery Life: 2-3 years

Standard Package List

Product Code: MFP0156



128G Industrial grade

microSD memory card * 1

microSD memory card

Stable storage

High-speed reading Sufficient memory

Product features

Product Code: MFP0089 Standard Package List



Main Features

Controller * 1

CG Remote Controller PRO

Answer/Left Key Back/Confirm Key Hang Up/Right Key Ultra-long Battery Life

Lossless Installation

Heat-resistant Lithium Battery

Standard Package List

Product Code: MFP0056



Ball Joint Clamps

Screw * 4 CNC Ball Joint Clamp * 1

Basic Parameters Basic Parameters:

Size: 55*38*30mm Usage: Mount the device on metal tube ofmotorcycle rear-view mirror Connector: 17mm Ball Joint Disassembly&Assembly Tools:

T10 Screwdriver/Wrench

Material: Aluminum Alloy

Product Code: MFP0057



Rear-view **Mirror Mount**

Standard Package List Screw * 2

CNC Mount * 1 M8-18 Gasket **Basic Parameters** Basic Parameters: Material: Aluminum Alloy

Size: 56*38*30mm Usage: Mount the device on M8/M10 Screw of motorcycle rear-view mirror Connector: 17mm Ball Joint Disassembly & Assembly Tools: T10 Screwdriver/Wrench

Product Code: MFP0059 Standard Package List



BMW K1600

CNC Bracket * 1 M4 Nut * 4

M5*10 Screw * 1 Hex Socket Screw*4 M3*8 Screw **Basic Parameters**

M4 Gasket * 8

Non-destructive installation parts

Adapt to the original navigation system installation position of BMW K1600 and 1250RT. When installing, the power connection of the original navigation system needs to be removed.

Standard Package List

Product Code: MFP0042



Expansion Base * 1

Basic Parameters

Compatible with 12-29mm direction column holes of raceinspired motorcycles

Crossbar Installation Base M4 Screw*2

Product Code: MFP0022



12-16mm Crossbar

CNC Bracket Base*1

Basic Parameters Compatible with 12-16mm

Installation Base

models: ADV and others

crossbar, supports main


Standard Package List Tempered Glass Film*1

Product Code: MFP0141



Alcohol Pad Lint-free Cloth

Main Features Fine-grain Frosted 0.3mm thickness





Anti-fingerprint 2.5D Edge Beveling

pipe clamp * 1 adaptor ring*3

Product Code: MSFP0044



Basic Parameters

Suitable for handlebar

/bar installation

Standard Package List

22-32mm standard

protective case



Compatible with

4.3 inch silicone

Full Edge Protection

Bracket

Product Code: MFP0115



Specification


Material: Aluminum Alloy 6061

Remote Controller Handle

Size:89.4*37.5*19.2mm Application: Fix the remote controller on the motorcycle handlebar

XR-2 series

Product Code: MFP0136



Wear-resistant Waterproof and Dustproof



Product specifications Size:80cm



XR-3 Motorcycle Dash Cam

XR-3 x1 Quick Disassemble Base x1

Standard Package List

Camera x2 Installation Bracket x1 Ball Joint Component x1 Quick Disassemble Key x1 Power Cable x1 Variable Radius Ring x3 **Main Features**

Binding Strap x2 Nylon Cable Ties x5

- Portable and Quick Disassemble
 3 Cameras Synchronous 2K/60fps Imaging
- · Anti-Shake & Damping Third View Camera
- · 4K Video Output • 1200nit High Brightness LCD
- · 5G High Speed Transmit
- Recording Built-in 800Mah Lithium Battery

Anti-theft Plug x1

Wrench x3

Sticker x2

Parallel Cable Clip x3

Stainless Steel Bracket x1

 Adaptive Brightness Adjustment · IP67 Waterproof and Dustproof

XR-3 Optional Accessories

Product Code: MFP0086



Third Camera

Standard Package List

The Third Camera*1 **Main Features**

Third View Recording

160° Wide Angle

Universal Action Camera Mount 2K Resolution F1.8 Aperture Free Fixed Camera Angle

Standard Package List Radar Module (with Bracket) *1

Product Code: MFP0223





• Integrated Alerts with Vehicle System Rear Warning Lights

Product Code: MFP0088

· Rear-End Collision Flash Warning Adaptive Brightness Adjust

Standard Package List

Product Code: MFP0087



Attitude Module

Main Features

Attitude Module*1

Get the real-time tilt angle of the vehicle Professional Attitude Algorithm

Shielding the interference of centrifugal force in bending

Standard Package List Controller*1



Ultra-long Battery Life

Heat-resistant Lithium Battery Lossless Installation

Standard Package List

Product Code: MFP0019





External Tire

Pressure Sensor

External Sensor * 2 Wrench * 1 Security Nut * 2

Main Features 18.2mm (Diameter) *14.7mm Height

Weight: 23g Accuracy: 0.01Bar

Measurement Range: 0-8Bar Functions: Tire Pressure, Tire Temperature Battery Replacement: Selfreplacement Battery Life: 1-2 years Product Code: MSFP0007

Standard Package List

Product Code: MFP0018



Rubber Gasket*2 **Main Features**

Built-in Sensor*2

Size: 25mm length*48.5mm Height*13mm Thickness Weight: 23g

Accuracy: 0.01Bar Functions: Tire Pressure, Tire Temperature Battery Replacement: Self-replacement

Battery Life: 2-3 years

Standard Package List External Sensor*1



Pressure Sensor

Wrench*1 Security Nut*1

Main Features 18.2mm (Diameter) *14.7mm Height Weight: 5.8g

Accuracy: 0.01Bar Measurement Range: 0-8Bar Functions: Tire Pressure, Tire

Temperature Battery Replacement: Self-replacement Battery Life: 1-2 years **Product Code: MFP0057**

Product Code: MSFP0006

Pressure Sensor

Built-in Tire

Built-in Sensor*1 Rubber Gasket*1

Standard Package List

Main Features Size: 25mm length*48.5mm

Height*13mm Thickness Weight: 23g Accuracy: 0.01Bar

Functions: Tire Pressure, Tire Temperature Battery Replacement: Self-replacement Battery Life: 2-3 years

Standard Package List

Product Code: MFP0056

CNC Mount*1 M8-18 Gasket



Main Features Basic Parameters:

Standard Package List

Material: Aluminum Alloy Size: 56*38*30mm

Usage: Mount the device on M8/M10 Screw of motorcycle rear-view mirror

Disassembly&Assembly Tools: T10 Screwdriver/Wrench **Product Code: MFP0042** Standard Package List

Connector: 17mm Ball Joint

Screw*4 CNC Ball Joint Clamp*1



Main Features Basic Parameters:

Material: Aluminum Alloy Size: 55*38*30mm Mount the device on metal tube of motorcycle rear-view mirror

Connector: 17mm Ball Joint Disassembly&Assembly Tools: T10 Screwdriver/Wrench

Standard Package List

M4 Gasket*8

M5*10 Scr M3*8 Screw



Main Features Compatible with 12-29mm direction column holes of

Expansion Base*1

race-inspired motorcycles

Standard Package List

Tempered Glass Film*1

BMW K1600 1250RT non-

Product Code: MFP0022

Product Code: MFP0059



Main Features Adapt to the original navigation system installation position of

CNC Bracket*1

Hex Socket Screw*4

M4 Nut*4

BMW K1600 and 1250RT. When installing, the power connection of the original navigation system needs to be removed.

Main Features

Product Code: MFP0141



Fine-grain Frosted 0.3mm thickness

Alcohol Pad

Lint-free Cloth

Anti-fingerprint 2.5D Edge Beveling

Main Features Compatible with 12-16mm



12-16mm Crossbar

CNC Bracket Base*1

M4 Screw*2

Standard Package List

crossbar, supports main

models: ADV and others



Product Code: MSFP0044

Standard Package List 22-32mm standard pipe clamp * 1

Suitable for handlebar /bar installation

Basic Parameters

4.3 inch



Standard Package List 128G Industrial grade

microSD memory card * 1

Product features 128G Industrial grade

Stable storage microSD memory card High-speed reading Sufficient memory



Product Code: MFP0115

Remote Controller Handle **Bracket**

Specification

Material: Aluminum Alloy 6061 Size:89.4*37.5*19.2mm Application: Fix the remote controller on the motorcycle handlebar



adaptor ring*3





CG Radar(Standard)

Standard Package List

Radar Module (with Bracket) *1 Blind Spot Warning Light *2 GPS Module *1 Blind Spot Light Bracket *2 Main Wiring Harness *1 Wrench *1

3M Adhesive Kit *1 ACC Wire Tap Clip *1 Cable Ties *5 Rubber Strap (Long) *2 Rubber Strap (Short) *2 User Manual *1

Product Features

- Blind Spot Vehicle Ale
- Low-Speed Vehicle Alert Suppression
- Detection of Vehicles Moving at Similar Speeds
- Optional Rearview Mirrors
- Integrated Alerts with Vehicle System
- Rear Warning Lights
- Rear-End Collision Flash Warning
- GPS Module · Adaptive Brightness Adjustment

Product Code: MFP0223



CG Radar(For AIO)

Standard Package List

Radar Module (with Bracket) *1 Main Wiring Harness *1 Wrench *1 3M Adhesive Kit *1

ACC Wire Tap Clip *1 Cable Ties *5 User Manual *1

Product Features

- Blind Spot Vehicle Alert
- Integrated Alerts with Vehicle System
- Rear Warning Lights
- Rear-End Collision Flash Warning
- · Adaptive Brightness Adjust

Product Code: MFP0217



CG BSD Rearview Mirror (Standard)

Standard Package List

Standard Rearview Mirror (Left) ×1 Standard Rearview Mirror (Right) ×1 6mm Heightening Pad ×2 M10×35mm P1.50 Right-Hand Thread Screw ×2 M10×35mm P1.25 Right-Hand Thread Screw ×2 M10×35mm P1.25 Left-Hand Thread Screw ×1 Rubber Strap ×2

Product Features

- Anti-glare, Wide View
- CNC Exquisite Craftsmanship
- Foldable Design
- Shock Absorption
- Aluminum Alloy Mirror Body
- Easy Installation

Product Code: MFP0218



CG BSD Rearview Mirror (Round Version)

Standard Package List

Round Rearview Mirror (Left) ×1 Round Rearview Mirror (Right) ×1 6mm Heightening Pad ×2 M10×35mm P1.50 Right-Hand Thread Screw ×2 M10×35mm P1.25 Right-Hand Thread Screw ×2 M10×35mm P1.25 Left-Hand Thread Screw ×1 Rubber Strap ×2

Product Features

- · Anti-glare, Wide View CNC Exquisite Craftsmanship
- Foldable Design
- Shock Absorption
- Aluminum Alloy Mirror Body
- Easy Installation





CG2-Wireless Charging Phone Holder

(22-32mm Clamps, Standard Version)

Standard Package List CG2 Holder*1

Toolkit*1

User Manual*1 Power Cable*1 Clamps Fixed Base*1 Clamps Variable Radius Ring*3

Product Code: MFP0010



CG2-Wireless Charging Phone Holder

(12mm Rear Mirror Clamps)

Standard Package List

CG2 Holder*1 User Manual*1 Power Cable*1 12mm Clamps*1 Toolkit*1 Anti-slip Pad*1

Product Code: MFP0011



CG2-Wireless Charging Phone Holder

(Honda Gold Wing Version)

Standard Package List

CG2 Holder*1 Power Cable*1 Toolkit*1

User Manual*1 Gold Wing Fixed Base*1

Product Code: MFP0058



CG2-Wireless Charging Phone Holder

(Direction Column Version)

Standard Package List

CG2 Holder*1 User Manual*1 Power Cable*1 Expansion Fixed Base*1 Toolkit*1

Product Code: MFP0062



CG2 Phone Holder

(Standard Version without Charging)

Standard Package List

CG2 Holder*1 Toolkit*1 User Manual*1

Clamps Fixed Base*1 Clamps Variable Radius Ring*3

Product Code: MFP0063



CG2 Phone Holder (12mm Clamps without Charging)

Standard Package List

CG2 Holder*1 12mm Clamps*1 Toolkit*1 Anti-slip Pad*1 User Manual*1

Product Code: MFP0064



CG2 Phone Holder

(Direction Column Version without Charging)

Standard Package List CG2 Holder*1 Expansion

Toolkit*1 Fixed Base*1 User Manual*1

Product Code: MFP0076



CG2 Phone Holder

(Honda Gold Wing Version without Charging)

Standard Package List

CG2 Holder*1 Gold Wing Toolkit*1 Fixed Base*1 User Manual*1

CG2 Phone Holder Accessories



22-32mm Clamps

(Standard Version)

Standard Package List

Clamps Fixed Base*1 Clamps Variable Radius Ring*3 Product Code: MFP0003



CG Rear Mirror Clamps

Standard Package List

12mm Clamps*1 Anti-slip Pad*1

Product Code: MFP0008

Product Code: MFP0012



BMW Phone Holder Fixed Base

Standard Package List Connector*1

Product Code: MFP0002



CG Honda Gold Wing Base

Standard Package List

Gold Wing Fixed Base*1

Product Code: MFP0106



NSS 350 Bracket Base

Standard Package List NSS Bracket*1

Product Code: MFP0040

CG Direction Column Base

Standard Package List Expansion Size: 1.Compatible Hole: 12-14.9mm

2.Compatible Hole: 15-17.9mm 3.Compatible Hole: 18-20.9mm 4.Compatible Hole: 21-23.9mm 5.Compatible Hole: 24-26.9mm 6.Compatible Hole: 27-29.9mm

Product Code: MFP0096



Charging Data Cable

30CM/25W Waterproof

Type-C to Lightning Specification

Product Code: MFP0095



Type-C to Type-C Charging Data Cable

Specification 30CM/100W Waterproof





Motorcycle Two-Way Quick Charger (TR100)

Packages List

Chargerx1 Fixed Basex1 Double-sided Tapex2

Main Features

- Two-way 100W Power
- Compatible with Multi-protocol
- Reverse Battery Charging
- Exclusive Charging Plan
- Adaptive Temperature Control
- · Fast Charging without Heat
- Reverse Polarity Protection
- · ACC-free low-power sleep

Two-way Charger Accessories

Product Code: MFP0095



Type-C to Type-C Charging Data Cable

Specification

30CM/100W Waterproof

Product Code: MFP0096


Binding Strapx4 User Manualx1



Type-C to Lightning Charging Data Cable

Specification

30CM/25W Waterproof





G3 Tire Pressure Monitor (Red)

Standard Package List

Host Device*1 Magnetic Charging Cable*1 Quick Disassemble Base*2 External Tire Pressure Sensor *2 Clamps*1 Rubber Strip*1 Compatible Base*2

Product Code: MFP0073



G3 Tire Pressure Monitor (Black)

(Dlack)

Standard Package List

Host Device*1 Magnetic Charging Cable*1 Quick Disassemble Base*2 External Tire Pressure Sensor *2 Clamps*1 Rubber Strip*1 Compatible Base*2

Product Code: MFP0083



G3 Tire Pressure Monitor

(Red) Built-in Tire Pressure Sensor

Standard Package List

Host Device*1 Magnetic Charging Cable*1 Quick Disassemble Base*2 Built-in Tire Pressure Sensor *2 Clamps*1 Rubber Strip*1 Compatible Base*2

Product Code: MFP0081



G3 Tire Pressure Monitor

(Black) Built-in Tire Pressure Sensor

Standard Package List

Host Device*1 Magnetic Charging Cable*1 Quick Disassemble Base*2 Built-in Tire Pressure Sensor *2 Clamps*1 Rubber Strip*1 Compatible Base*2



Please place order as product code

Product Code: MFP0114



Standard Package List

CGOBD Wireless Module * 1 EURO5 (6P) Adapter Cable* 1

Main Features

Read Real-time Engine Data Data Overlay & Synchronized to Video File Analyze Vehicle Driving Status



Motorcycle Connector Photo

Harley /indian / KTM /Husgvarna / Aprilia / Ducati /Triumph / CFMoto / Suzuki (The above brandsonly support motorcycles fromthe 2019 model year to the present.)

Benelli (The above brands only support motorcycles fromthe 2021 model year to the present.)

YAMAHA / Honda (The above brands only support motorcycles from the 2024 model yearto the present.)

Product Code: MFP0047Harley 6P Adapter Cable





Product Photo Motorcycle Connector Photo NOTE: Exclusive for Harley

Product Code: MFP0054Harley 4P Adapter Cable





Product Photo Motorcycle Connector Photo NOTE: Exclusive for Harley

Product Code: MFP0046Delphi 6P Adapter Cable





Product Photo Motorcycle Connector Photo NOTE: For Benelli and more

Product Code: MFP0039

OBD II (16P) Adapter Cable





Product Photo Motorcycle Connector Photo NOTE: For Triumph and CFMoto

Product Code: MFP0050 KTM 6P Adapter Cable





Product Photo Motorcycle Connector Photo

NOTE: Exclusive for KTM

Product Code:MFP0053


Ducati 4P Adapter Cable





Product Photo Motorcycle Connector Photo

NOTE: Exclusive for Ducati





12mm Rear Mirror Extend Crossbar

Packages List

12mm Universal Clamps Base (Long Style)*1 **Product Code: MFP0092**



12mm Rear Mirror Extend Crossbar

Packages List

12mm Universal Clamps Base (Short Style)*1

Product Code: MFP0115



Bluetooth remote control handle bracket

Specification

Material: Aluminum Alloy 6061 Size:89.4*37.5*19.2mm Application: Fix the remote controller on the motorcycle handlebar **Product Code: MFP0160**



BMW special valve

Specification

Valve*1

Product Features

Perfectly solves the problem of some BMW models having calipers engage after installing Chigee external tire pressure gauge.

Compatibility

C400 series/F900 series S1000XR series, etc.

Product Code: MFP0190



CHIGEE Silicone Cable Tie

Specification

Size: 75*12mm

Compatibility: Suitable for bundling wire harnesses with a diameter of approximately 15–20mm Material: Shin-Etsu Silicone

Color: Black

Product Code: MFP0213



TMAX Halterung

Specification

Size: 74*20*50mm Compatibility: Dedicated bracket for Yamaha TMAX

Material: Stainless Steel 304


Product Code: MFP0224



Extension Bracket for BMW 1200/1250RT

Specification

Size: 44*54*35mm Compatibility: Compatible with BMW 1200/1250RT Material: A6061 Color: Anodized Black



Product Code: MZS0046



Product Code: MZS0044



Product Code: MZS0047




Product Code: MZS0045

Product Code: MZS0043



Motorcycle Two-Way **Charger Brochure**



AIO-5 lite Poster Specification 180cm*80cm

Product Code: MZS0052




Showpiece

Specification 80cm*60cm

Product Code: MZS0128



Product Code: MZS0090



AIO-5 Play Prototype Display

Others

Product Code: MZS0058



Product Code: MZS0018

characters UV printing



Product Code: MPack0024

ADVENTURER



CH|GEE

Brand Publicity Towel

Reception Desk

Specification

70*35*102cm

Specification

Product Code: MZS0004

Product Code: MFP0107



3M Reflective Sticker

130*30mm

Specification



Specification 445*390*120mm

Product Code: MZS0115

Specification 129*67*35cm



CHIGEE T-Shirt

M code / L code / XL code / XXL code / XXXL code

size

Product Code: MZS0015



Product Code: MZS0034

Specification 175*70mm


Specification

CHIGEE Sticker

Specification

400*123mm

60*250cm





Product Code: MFPO197

CG tent

Specification

300*300*300mm